



## Solid Carbide Thread Mills



### Helical Thread Mills HSN Coated

Tool Size	D2	D1	L1	L2	Flutes	SKU
4-40 UN	.125	0.085	0.175	2.00	3	04H1000
6-32 UN	.125	0.095	0.218	2.00	3	04H1001
8-32 UN	.125	0.115	0.25	2.00	3	04H1002
8-36 UN	.125	0.115	0.25	2.00	3	04H1003
10-24 UN	.187	0.12	0.312	2.00	3	04H1004
10-32 UN	.187	0.12	0.312	2.00	3	04H1005
1/4-20 UN	.187	0.18	0.5	2.50	3	04H1006
1/4-28 UN	.187	0.18	0.5	2.50	3	04H1007
5/16-18 UN	.250	0.24	0.625	2.50	3	04H1008
5/16-24 UN	.250	0.24	0.625	2.50	3	04H1009
3/8-16 UN	.312	0.29	0.75	3.00	4	04H1010
3/8-24 UN	.312	0.29	0.75	3.00	4	04H1011
7/16-14 UN	.375	0.34	0.875	3.00	4	04H1012
7/16-20 UN	.375	0.34	0.875	3.00	4	04H1013
1/2-13 UN	.375	0.35	0.875	3.50	4	04H1014
1/2-20 UN	.375	0.35	0.875	3.50	4	04H1015
9/16-12 UN	.500	0.37	0.875	3.50	4	04H1016
9/16-18 UN	.500	0.37	0.875	3.50	4	04H1017
5/8-11 UN	.500	0.47	1.25	3.50	5	04H1018
5/8-18 UN	.500	0.47	1.25	3.50	5	04H1019
3/4-10 UN	.500	0.495	1.25	3.50	5	04H1020
3/4-12 UN	.500	0.495	1.25	3.50	5	04H1021
3/4-16 UN	.500	0.495	1.25	3.50	5	04H1022
7/8-9 UN	.500	0.495	1.25	3.50	5	04H1023
7/8-14 UN	.500	0.495	1.25	3.50	5	04H1024
1-8 UN	.750	0.62	1.375	4.00	5	04H1025
1-12 UN	.750	0.62	1.375	4.00	5	04H1026

## Solid Carbide Thread Mills




### Helical Thread Mills HSN Coated - Straight Coolant Through

Tool Size	D2	D1	L1	L2	Flutes	SKU
1/4-20 UN C	.187	0.180	0.500	2.50	3	05H2006
1/4-28 UN C	.187	0.180	0.500	2.50	3	05H2007
5/16-18 UN C	.250	0.240	0.625	2.50	3	05H2008
5/16-24 UN C	.250	0.240	0.625	2.50	3	05H2009
3/8-16 UN C	.312	0.290	0.750	3.00	4	05H2010
3/8-24 UN C	.312	0.290	0.750	3.00	4	05H2011
7/16-14 UN C	.375	0.340	0.875	3.00	4	05H2012
7/16-20 UN C	.375	0.340	0.875	3.00	4	05H2013
1/2-13 UN C	.375	0.350	0.875	3.50	4	05H2014
9/16-12 UN C	.500	0.370	0.875	3.50	4	05H2015
9/16-18 UN C	.500	0.370	0.875	3.50	4	05H2016
5/8-11 UN C	.500	0.470	1.250	3.50	5	05H2017
5/8-18 UN C	.500	0.470	1.250	3.50	5	05H2018
3/4-10 UN C	.500	0.495	1.250	3.50	5	05H2019
3/4-12 UN C	.500	0.495	1.250	3.50	5	05H2020
3/4-16 UN C	.500	0.495	1.250	3.50	5	05H2021
7/8-9 UN C	.500	0.495	1.250	3.50	5	05H2022
7/8-14 UN C	.500	0.495	1.250	3.50	5	05H2023
1-8 UN C	.750	0.620	1.375	4.00	5	05H2024
1-12 UN C	.750	0.620	1.375	4.00	5	05H2025




## Solid Carbide Thread Mills



### Helical Thread Mills HSN Coated

Tool Size	D2	D1	L1	L2	Flutes	SKU
M4-0.70M	4	2,8	8,4	51	3	06H2000
M5-0.80M	4	3,5	10,4	51	3	06H2001
M6-1.00M	4	3,9	12	51	3	06H2002
M8-0.75M	6	5,9	16	58	3	06H2003
M8-1.00M	6	5,9	16	58	3	06H2004
M8-1.25M	6	5,9	16,25	58	3	06H2005
M10-1.25M	8	7,7	20	64	4	06H2006
M10-1.50M	8	7,7	21	64	4	06H2007
M12-1.00M	10	9,9	24	73	4	06H2008
M12-1.50M	10	9,4	24	73	4	06H2009
M12-1.75M	10	8,7	24,5	73	4	06H2010
M14-1.50M	12	11,2	28,5	84	4	06H2011
M16-2.00M	12	11,9	32	84	5	06H2012
M18-2.5M	16	13,9	40	93	5	06H2013
M20,M24-3.00M	16	15,9	42	93	5	06H2014



### Helical Thread Mills HSN Coated - Straight Coolant Through

Tool Size	D2	D1	L1	L2	Flutes	SKU
M8-0.75M-C	6	5,9	16	58	3	07H2003
M8-1.00M-C	6	5,9	16	58	3	07H2004
M8-1.25M-C	6	5,9	16,25	58	3	07H2005
M10-1.25M-C	8	7,7	20	64	4	07H2006
M10-1.50M-C	8	7,7	21	64	4	07H2007
M12-1.00M-C	10	9,9	24	73	4	07H2008
M12-1.50M-C	10	9,4	24	73	4	07H2009
M12-1.75M-C	10	8,7	24,5	73	4	07H2010
M14-1.50M-C	12	11,2	28,5	84	4	07H2011
M16-2.00M-C	12	11,9	32	84	5	07H2012
M18-2.5M-C	16	13,9	40	93	5	07H2013
M20,M24-3.00M-C	16	15,9	42	93	5	07H2014